



A *Haberlea rhodopensis* lektotípusa és a faj színes ábrázolása.

...●...

The lectotype of *Haberlea rhodopensis* and the colour figure of the species.

**Az endemikus Haberle-virágot (*Haberlea rhodopensis*) a bulgáriai Rodope-hegységben („in montibus Rhodope Rumeliae”) az első általa finanszírozott Balkán-expedíció során 1834 júniusában gyűjtött példányok alapján írta le Frivaldszky Imre. A leírás az 1835-ös esztendőben jelent meg, a fajt színezetlen könyvnyomatos tábla mutatta be. A következő expedíció a Kalophir-hegységben is gyűjtött példányokat. Két *Haberlea* herbáriumi lapot őrzünk a Frivaldszky-féle példányokból, az egyik Sadler József (1791–1849) gyűjteményével, a másik Haynald Lajos (1816–1891) herbáriumával került múzeumunkba. A Haynald-herbáriumból származó lapon (BP 301409) két cédula is szerepel, a felső példányon „Rumelia”, az alsó példányon „Alp. Kalophir” lelőhelymegadással. Mivel a Sadler-herbáriumából bekerült példányon (BP 301370) olvasható a protológusban megadott „Rhodope” lelőhely, ezt a példányt jelölték ki lektotípusnak Szeląg Zbigniew és Somlyay Lajos 2009-ben. A fajt színesben 1882-ben a Curtis’s Botanical Magazine folyóirat ábrázolta.**

BAUER NORBERT, *Növénytár*

...●...

**The endemic *Haberlea rhodopensis* was described on the basis of specimens collected in 1834 in the Rhodope Mountains (“in montibus Rhodope Rumeliae”), Bulgaria, by the first Balkan-expedition initiated by Imre Frivaldszky. The species was described in 1835 and depicted on halftone lithographic plate. The following expedition also collected specimens in the Kalophir Mountains. We keep two herbarium sheets with *Haberlea* specimens from the Frivaldszky-expeditions. One originates from the collection of József Sadler (1791–1849) and the other one from the herbarium of Lajos Haynald (1816–1891). The sheet from the Haynald herbarium (BP 301409) contains two tags, the upper specimen being “Rumelia” and the lower specimen “Alp. Kalophir”. As the specimen from the Sadler Herbarium (BP 301370) reads the “Rhodope” site given also in the protologist, this specimen has been designated as a lectotype by Szeląg Zbigniew and Lajos Somlyay in 2009. The species was figured in color in 1882 by the periodica Curtis’s Botanical Magazine.**

NORBERT BAUER, *Department of Botany*